



PRIMUS
LUBRICANTS
MAXIMUM PERFORMANCE



PRIMUS LUBRICANTS IN BRIEF

Primus Lubricants is a Dubai based company with offices in Cameroon and Niger, servicing the African and Asian continent. Primus's primary focus of distributing specialty lubricants, hydraulic brake fluids and automotive radiator coolants.



TECHNOLOGICAL RESEARCH CENTER: THE MOST COMPREHENSIVE IN THE MIDDLE EAST

Primus is in partnership with manufactures having more than forty sophisticated laboratory instruments and highly motivated and specialized personnel. These laboratories are one of the best and most comprehensive research centers of the Middle East, implementing ASTM and other reputed international standards to carry tests on both ingoing and outgoing products; from base oils, to lubricating oil additives, to lubricants.



OUR VISION

Primus Lubricants aims to become a household name and a trusted partner in the oil lubricants industry across all of Africa and Asia. With an aim to deliver the highest quality oil in the markets, customer satisfaction remains our main objective, and supporting in the development of the communities in which we operate.



Gasoline Engine Oil - Jade

Jade Pro & Zero

SAE	0W20	ACEA C5
SAE	0W16	API SP

Jade Gold Plus & Perfo

SAE	0W40	API SN PLUS
SAE	5W40	API SN PLUS
SAE	5W40	API SN/CF

Jade Optimum

SAE	5W30	ACEA C2/C3
SAE	0W30	ACEA C2/C3
SAE	5W40	ACEA C2/C3

Jade Gold Plus

SAE	0W20/5W20	API SP
SAE	5W30	API SP

Jade Pur

SAE	10W30	API SN PLUS
SAE	10W40	API SN PLUS

Jade Cobalt

SAE	10W30	API SL	..
SAE	10W40	API SL	..
SAE	15W40	API SL	..
SAE	20W50	API SL	..

Jade HD

SAE	15W40	API SF	..
SAE	20W50	API SF	..
SAE	40	API SF	..
SAE	50	API SF	..



PRIMUS
LUBRICANTS
 MAXIMUM PERFORMANCE

Diesel Engine Oil - Zircon

Zircon Novus / Novus FE

SAE	10W30	API CK- 4	..
SAE	5W30	API FA- 4

Zircon Starlight XT

SAE	10W30	API CJ- 4
SAE	10W40 / 15W40	API CJ- 4

Zircon Starlight

SAE	5W30	API CI- 4
SAE	15W40	API CI- 4/SL

Zircon XT

SAE	15W40	API CH- 4
SAE	20W50	API CH- 4

Zircon HD

SAE	15W40	API CF- 4
SAE	20W50	API CF- 4

Four Stroke Engine Oil - Jade 4T

Jade 4T JASO MA2

SAE	5W40	API SN
SAE	10W60	API SN

Jade 4T JASO MA2

SAE 10W40 API SN

SAE 20W50 API SL

Four Stroke Engine Oil - Jade 4T

Jade 4T JASO MA1

SAE 20W40 API SG

SAE 20W50 API SG

Jade 4T JASO MB

SAE 10W30 API SL

SAE 10W40 API SL

SAE 20W40 API SL

SAE 20W50 API SG

Two Stroke Engine Oil - Jade 2T

SAE 30 API TC JASO FC

Outboard API NMMA TC-W3

Automatic Transmission Fluid

ATF VI

ATF III

ATF II-D

ATF Type A

ATF WS

ATF CVT

ATF DCT

Manual Transmission Fluid

SAE 50 TO-4

SAE 90/140 API GL-5

SAE 85W-90/140 API GL-5

SAE 75W-90/140 API GL-5

Coolant/Antifreeze

CoolCar 100% Concentrate

CoolCar 50% Ready-to-use

CoolCar 30% Ready-to-use

Brake Fluid

Brake Fluid Dot 5.1

Brake Fluid Dot 4

Brake Fluid Dot 3

Grease

Grease Proxy 2

Grease Proxy 3

Grease Proxy Complex EP2

Grease Proxy Complex EP3

Agriculture and forestry

Hydra XP

Gem XP

Turbine & Compressor Oil

Soluble Cutting Fluid

Marine & Power Generation

Transfo U

Heat Transfer Fluid

Notes



PRIMUS
LUBRICANTS

MAXIMUM PERFORMANCE